

Diktys Stage 8 after merge

len1	dl	rad	dr	I/A	n I	n I l
m	m	m	m	A/mm ²	A	A m
0.043	0.090	0.050	0.081	195.00	1.42	0.81
0.043	0.118	0.140	0.150	164.00	2.90	3.92
0.645	0.118	0.140	0.150	-164.00	2.90	3.92
0.673	0.090	0.050	0.081	-195.00	1.42	0.81




Fig. 1

B_0 13.22 $\max B$ 15.92 $\max R_{BJ}$ 214.1 B_{rf} 7.0
 B_0 13.22 $\max B$ 11.01 $\max R_{BJ}$ 264.4 B_{rf} 7.0




Fig. 2




Fig. 3




Fig. 4




Fig. 5

My Version to satisfy Frank's request for space between blocks

len1	dl	rad	dr	I/A	n I	n I l
m	m	m	m	A/mm ²	A	A m
0.023	0.120	0.045	0.075	173.60	1.56	0.81
0.043	0.100	0.150	0.070	163.00	1.14	1.33
0.050	0.140	0.250	0.110	159.00	2.45	4.69
0.616	0.140	0.250	0.110	-159.00	2.45	4.69
0.663	0.100	0.150	0.070	-163.00	1.14	1.33
0.663	0.120	0.045	0.075	-173.60	1.56	0.81




Fig. 1a

Bo	13.10	maxB	14.84	maxRBJ	146.8	Brf	6.9
Bo	13.10	maxB	10.21	maxRBJ	212.4	Brf	6.9
Bo	13.10	maxB	10.40	maxRBJ	328.7	Brf	6.9




Fig. 2a




Fig. 3a




Fig. 4a




Fig. 5a

My version for NbTi in outer blocks

len1	dl	rad	dr	I/A	n I	n I l
m	m	m	m	A/mm ²	A	A m
0.023	0.120	0.045	0.065	220.00	1.72	0.84
0.063	0.080	0.140	0.080	135.00	0.86	0.98
0.100	0.100	0.250	0.120	153.00	1.84	3.58
0.606	0.100	0.250	0.120	-153.00	1.84	3.58
0.663	0.080	0.140	0.080	-135.00	0.86	0.98
0.663	0.120	0.045	0.065	-220.00	1.72	0.84




Fig. 1b

Bo	13.63	maxB	15.15	maxRBJ	176.7	Brf	6.5
Bo	13.63	maxB	7.34	maxRBJ	128.0	Brf	6.5
Bo	13.63	maxB	7.00	maxRBJ	290.6	Brf	6.5




Fig. 2b




Fig. 3b




Fig. 4b




Fig. 5b